Carbohydrate Research, 253 (1994) C7–C9
Elsevier Science B.V., Amsterdam

CONTENTS

The structure and (local) stability constants of borate esters of mono- and di-saccharides as studied by ^{11}B and ^{13}C NMR spectroscopy
R. Van den Berg, J.A. Peters and H. Van Bekkum (Delft, Netherlands) 1

Crystal structures of (±)-1,2:4,5-di-*O*-isopropylidene-*myo*-inositol and (±)-1,2:5,6-di-*O*-isopropylidene-*myo*-inositol: a conformational analysis
S.-K. Chung, Y. Ryu, Y.-T. Chang, D. Whang and K. Kim (Pohang, South Korea) 13

Interaction of 1,6-anhydro derivatives of amino sugars with copper(II) ions
M. Ježowska-Bojczuk, H. Kozłowski (Wrocław, Poland), T. Trnka and M. Černý (Prague, Czech Republic) 19

Molecular and crystal structure of methyl hepta-*O*-acetyl-α-laminarabioside
M. Ikegami, K. Noguchi, K. Okuyama (Tokyo, Japan), S. Kitamura, K. Takeo (Kyoto, Japan) and S. Ohno (Kobe, Japan) 29

Crystal structure of the 1:1 complex of heptakis(2,3,6-tri-*O*-methyl)cyclomaltoheptaose (permethylated β-cyclodextrin) with ethyl laurate
D. Mentzafos, I.M. Mavridis (Athens, Greece) and H. Schenk (Amsterdam, Netherlands) . 39

Conformational equilibria of 4-thiomaltose and nitrogen analogues of maltose in aqueous solutions
K. Bock, J.Ø. Duus (Copenhagen Valby, Denmark) and S. Refn (Lyngby, Denmark) 51

NMR spectroscopic investigation of agarose oligomers produced by an α-agarase
C. Rochas (Grenoble, France), P. Potin and B. Kloareg (Roscoff, France) 69

Synthèses de 6-*O*-β-D-apiofuranosyl-β-D-glucopyranosides de monoterpényle
O. Mbaïraroua, T. Ton-That et C. Tapiéro (Montpellier, France) 79

The structure of the O-specific polysaccharide of *Salmonella arizonae* O62
E.V. Vinogradov, Y.A. Knirel, N.K. Kochetkov (Moscow, Russian Federation), S. Schlecht and H. Mayer (Freiburg-Zähringen, Germany) 101

Chemical synthesis of the pyruvic acetal-containing trisaccharide unit of the species-specific glycopeptidolipid from *Mycobacterium avium* serovariant 8
I. Bajza, J. Kerékgyártó, J. Hajkó, L. Szilágyi and A. Lipták (Debrecen, Hungary) 111

Synthesis of three tetrasaccharides containing 3-*O*-methyl-D-mannose, as model compounds for xylose-containing carbohydrate chains from N-glycoproteins
J.G.M. Van der Ven, J.C.H.M. Wijkmans, J.P. Kamerling and J.F.G. Vliegenthart (Utrecht, Netherlands) 121

Pyranoid D-fructosyl and L-sorbosyl cyanides
F.W. Lichtenthaler and F. Hoyer (Darmstadt, Germany) 141

Synthesis of 5-aminopentyl mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of *Mycobacterium avium-intracellulare* serovars 8 and 21
T. Ziegler (Stuttgart, Germany) 151

Synthesis of 5-aminopentyl 4,6-*O*-[(*R*)-1-carboxyethylidene]-β-D-galactopyranoside and its use as a ligand for the affinity chromatography of human serum amyloid P protein
T. Ziegler, E. Eckhardt, J. Strayle and H. Herzog (Stuttgart, Germany) 167

A convenient synthesis for anomeric 2-thioglucobioses, 2-thiokojibiose and 2-thiosophorose
J. Defaye and J.-M. Guillot (Grenoble, France) 185

Hydroxymethylation of aldonolactones and a chemical synthesis of 3-deoxy-3-fluoro-D-fructose
M. Bols, H. Grubbe, T.M. Jespersen (Lyngby, Denmark) and W.A. Szarek (Kingston, ON, Canada) 195

A synthetic route to 3-*C*-alkyl (or 3-*C*-phenyl-) 2,3-dideoxy-D-*erythro*-pentono-1,4-lactones: intermediates in the synthesis of 2(3*H*)-furanones
P.C. Raveendranath, V.J. Blazis, K. Agyei-Aye, A.K. Hebbler, L.N. Gentile, E.S. Hawkins, S.C. Johnson and D.C. Baker (Knoxville, TN, USA) 207

Synthesis of some 2-*C*-alkyl-2,3-dideoxy-α,β-L-*glycero*-tetrurono-1,4-lactones. Evaluation as antitumor agents
V.J. Blazis, E.S. Hawkins and D.C. Baker (Knoxville, TN, USA) 225

Sugars with nitrogen in the ring isolated from the leaves of *Morus bombycis*
N. Asano, E. Tomioka, H. Kizu and K. Matsui (Ishikawa, Japan) 235

Structural elucidation of the capsular polysaccharide expressed by *Escherichia coli* O20:K83:H26 by high resolution NMR spectroscopy
D.V. Whittaker, L.A.S. Parolis and H. Parolis (Grahamstown, South Africa) 247

The structure of the polysaccharide produced by *Proteus vulgaris* (ATCC 49990)
M.B. Perry and L.L. MacLean (Ottawa, ON, Canada) 257

A *Phanerochaete chrysosporium* β-D-glucosidase/β-D-xylosidase with specificity for (1 → 3)-β-D-glucan linkages
J.L. Copa-Patiño and P. Broda (Manchester, United Kingdom) 265

Structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 70, and of oligosaccharides resulting from their degradation by the bacteriophage *Acm6*
H.D. Grimmecke (Leipzig, Germany), Y.A. Knirel, A.S. Shashkov (Moscow, Russian Federation), B. Kiesel, W. Lauk and M. Voges (Leipzig, Germany) 277

Structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 135 (IMET 11402)
H.D. Grimmecke, M. Voges (Leipzig, Germany), Y.A. Knirel, A.S. Shashkov (Moscow, Russian Federation), W. Lauk and B. Kiesel (Leipzig, Germany) 283

Separation of fructan isomers by high performance anion exchange chromatography
L.H. Slaughter (Maryland, USA) and D.P. Livingston III (Pennsylvania, USA) 287

Molecular weight analysis of a water-insoluble, yeast-derived (1 → 3)-β-D-glucan by organic-phase size-exclusion chromatography
D.L. Williams (Johnson City, TN, USA), H.A. Pretus, H.E. Ensley (New Orleans, LA, USA) and I.W. Browder (Johnson City, TN, USA) 293

An efficient synthesis of methyl 1,2,3,4-tetra-*O*-acetyl-β-L-idopyranuronate
D. Medaković (Alameda, CA, USA) 299

Synthesis of a tetrasaccharide related to the repeating unit of the antigen from *Klebsiella* type 55
S.K. Das, R. Ghosh, A.K. Ray and N. Roy (Calcutta, India) 301

Preparation of 1-bromo-1-nitro-D-*galacto*(and -D-*manno*)-hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes
M. Mancera, E. Rodríguez, I. Roffé and J.A. Galbis (Seville, Spain) 307

Structure of the polysaccharide S-156 elaborated by *Klebsiella pneumoniae* ATCC 316 46
A. Johansson, P.-E. Jansson and G. Widmalm (Stockholm, Sweden) 317

Structure of the capsular K96 polysaccharide (K96 antigen) from *Escherichia coli* O77:K96:H^- and comparison with the capsular K54 polysaccharide (K54 antigen) from *Escherichia coli* O6:K54:H10
B. Jann, H. Kochanowski and K. Jann (Freiburg, Germany) 323

Bemisiose: an unusual trisaccharide in *Bemisia* honeydew
D.L. Hendrix (Phoenix, AZ, USA) and Y.-a. Wei (Guangxi, People's Republic of China) . 329

Author index C1

Subject index C3